

USA/INT

11 + 2 + 9 + Fe, Mn, S, Zn	
11.0%	Total Nitrogen (N)
4.0%	Ammoniacal Nitrogen
2.1%	Urea Nitrogen
2.2%	Water Insoluble Nitrogen from methylene ureas
2.7%	Other Water Soluble Nitrogen from methylene ureas*
2.0%	Available Phosphate (P ₂ O ₅) from ammonium phosphate
9.0%	Soluble Potash (K ₂ O) from potassium sulfate
9.0%	Total Sulfur (S) from sulfate
9.0%	Combined Sulfur (S)
8.0%	Iron (Fe) from ferrous sulfate and ferric oxide
3.0%	Manganese (Mn) water soluble from manganese sulfate
0.17%	Zinc (Zn)
6.0%	Humic acids

Derived from urea, potassium sulfate, methylene ureas, ammonium sulfate, zinc oxysulfate, manganese sulfate, ferrous sulfate, ferric oxide, and monoammonium phosphate.
*2.7% slow release nitrogen from methylene ureas

Application rates: 15-30 g/m² (150-300 kg/ha)

Directions for use: Apply product to actively growing turf at 15-30 g/m². Apply to dry foliage. Immediately after application, apply a minimum of 5 mm of water to disperse particles into the root zone. Due to variations in temperature and water pH, best results are achieved by splitting the irrigation into 2 applications at 10-15 minutes apart. This will allow for more thorough particle dispersion into the surfaces. Remove particles promptly by sweeping or blowing to avoid staining. **DO NOT WASH OFF WITH WATER.** Store in a clean, dry place. Reseal opened bag by folding top down and securing. Use only clean, dry spreaders. Do not leave unused product in spreaders.

Deutschland / Österreich

Festes anorganisches Mehrnährstoff-Makronährstoff-Düngemittel, mit Spurennährstoffen

11,0 %	Gesamtstickstoff (N)
4,0 %	Ammoniumstickstoff (N)
2,1 %	Harnstoffstickstoff (N)
4,9 %	Formaldehydharnstoff-Stickstoff (N)
2,0 %	Gesamphosphorpentoxid (P ₂ O ₅)
1,9 %	wasserlösliches Phosphorpentoxid (P ₂ O ₅)
2,0 %	neutral-ammonitratlösliches Phosphorpentoxid (P ₂ O ₅)
9,0 %	Kaliumoxid (K ₂ O), wasserlöslich
9,0 %	Gesamtschwefeltrioxid (SO ₃)
22,5 %	wasserlösliches Schwefeltrioxid (SO ₃)
8,0 %	Eisen (Fe)
3,0 %	Mangan (Mn)
0,17 %	Zink (Zn)
6,0 %	Huminsäuren

Korngröße: Granulate, 90 % des Produkts haben eine Granulatgröße zwischen 0,5 mm und 1,5 mm.

Inhaltsstoffe:
Harnstoff* (CAS-Nr.: 57-13-6); Kaliumsulfat† (CAS-Nr.: 7778-80-5); Methylenharnstoff‡ (CAS-Nr.: 9011-05-6); Ammoniumsulfat§ (CAS-Nr.: 7783-20-2); Zinkoxysulfat (CAS-Nr.: 1314-13-2 / 7733-02-0); Mangansulfat (CAS-Nr.: 10034-96-5); Eisensulfat (CAS-Nr.: 7720-78-7); Eisenoxid (CAS-Nr.: 1309-37-1); Monoammoniumphosphat¶ (CAS-Nr.: 7722-76-1)
* CMC 1: Stoffe und Gemische aus unbearbeiteten Rohstoffen
† CMC 8: Nährstoff Polymere 8

Information zu Sicherheit und Umwelt:
EUH210: Sicherheitsdatenblatt auf Anfrage erhältlich.
Dieses Düngemittel enthält Harnstoff, der Ammoniak freisetzen und sich auf die Luftqualität auswirken kann. Je nach örtlichen Gegebenheiten sind geeignete Abhilfemaßnahmen zu treffen.

Norge

NPK-gjødsel med mikro

11,0%	Nitrogen (N)
4,0%	ammonium-N
2,1%	urea-N
4,9%	metylenurea
	hvorav 2,2 % vannløselig N (WIN)
0,9%	Fosfor (P) - vannløselig
2,0%	fosforpentoksyd (P ₂ O ₅)
7,5%	Kalium (K)
9,0%	kaliumoksyd (K ₂ O)
9,0%	Svovel (S)
8,0%	Jern (Fe)
3,0%	Mangan (Mn)
0,17%	Sink (Zn)

Basert på urea, metylenurea, ammoniumsulfat, mono-ammoniumfosfat, kaliumsulfat, jernoksid, jernsulfat, mangansulfat, sinkoksyd og 6 % huminsyrer.

Skal bare benyttes ved påvist behov. De anbefalte mengder må ikke overskrides.

Distributør i Norge: Floratine Norge AS - Gullfunnet 50 - 1570 Dilling - NORGE

Nettvekt: 20 kg

Anbefalte gjødselmengder: 15 – 30 g/m² (150 – 300 kg/ha)

En meget fingranulert gjødsel med et balansert NK-forhold (1:0,7). Gjødsla tilføres når gras er i vekst, og på tørt bladverk. Rett etter gjødseltilføring vannes det med minimum 5 mm, slik at gjødselkornene løser seg opp og sprer seg ned i grasbestandet og røtsonen. På grunn av variasjoner i temperatur og vannets pH, vil det beste resultatet oppnås ved å splitte vanninga i to vanninger med 10-15 minutters mellomrom. Dette vil sørge for en bedre partikkelfordeling ned i grasdekket. Dette produktet inneholder jern som kan misfarge betong og andre overflater. Fjern partikler omgående ved feing eller blåsing. VASK IKKE BORT MED VANN. I forbindelse med gjødsling skal det kun benyttes tørre og rene gjødsel-spreder. La ikke gjødsel bli liggende igjen i sprederen. Gjødsla skal lagres tørt.



Warning
HARMFUL IF SWALLOWED. CAUSES SERIOUS EYE, SKIN, AND RESPIRATORY IRRITATION. CAUSES DAMAGE TO ORGANS THROUGH REPEATED EXPOSURE.

Precautionary Statements
If exposed or concerned: get medical advice/attention. Wear protective gloves and clothing. remove contaminated clothing and wash before reuse. Do not breathe vapors/mists. If inhaled: move to fresh air and keep comfortable. Seek medical attention if unwell. Use only outdoors or in well-ventilated area. Call poison control or seek medical attention if you feel unwell. Wash thoroughly after handling. Do not eat, drink, or smoke when using this product.

First Aid
If inhaled: Move to fresh air and keep comfortable, seek medical attention if unwell.
If on skin: Wash affected areas with soap and water. Seek medical attention if irritation persists. Wash contaminated clothing before reuse.
If in the eyes: Immediately flush with water for 15-20 minutes, remove contact lenses if present and easy to do - continue rinsing. Seek medical attention if irritation persists.
If swallowed: Rinse mouth. DO NOT INDUCE VOMITING unless directed by a medical professional. Call POISON CONTROL and seek medical attention.

Spreader Settings	Ground Speed	Width of Coverage	Spreader Settings			
			15 g/m ²	20 g/m ²	25 g/m ²	30 g/m ²
Model 2000 (cone 9); 2000 SR (cone 9) Settings for single pass application = FULL RATE	5 km/hr	3.4 m	J	K	L	M
SSD Drop Spreader - Settings for single pass application = FULL RATE	5 km/hr	0.9 m	3 1/2	4 1/4	5	5 3/4

Suggested spreader settings are not intended to replace calibration. Please calibrate your spreader before applying product.



20 kg/net
10010328

The Andersons logo and Nutri DG are registered trademarks of The Andersons, Inc.; Humic DG is a trademark of The Andersons, Inc.

K25

