



THE ANDERSONS PROFESSIONAL TURF PRODUCTS 16-4-8

SAFETY DATA SHEET

CURRENT AS OF: 2/18/26

SECTION 1: PRODUCT / SUPPLIER IDENTIFICATION

PRODUCT CODE: 10004260, 10005602

PRODUCT NAME: THE ANDERSONS PROFESSIONAL TURF PRODUCTS 16-4-8

PRODUCT USE: Fertilizer

MFR INFO: The Andersons, Inc.
PO Box 119
Maumee, OH 43537

FOR EMERGENCY: (800) 757-8951

FOR INFORMATION: (419) 893-5050

SECTION 2: HAZARDS IDENTIFICATION

HAZARD SYMBOL:



SIGNAL WORD: WARNING

HAZARD STATEMENT: CAUSES SERIOUS EYE, SKIN, AND RESPIRATORY IRRITATION.

HAZARD CLASSIFICATIONS

CATEGORY

INTERPRETATION

EYE IRRITATION

2A

Causes serious eye irritation

SKIN IRRITATION

2

Causes skin irritation

SPECIFIC TARGET ORGAN TOXICITY

- SINGLE EXPOSURE

3

May cause irritation to respiratory tract

PRECAUTIONARY STATEMENTS:

- WEAR PROTECTIVE GLOVES AND CLOTHING
- REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE
- DO NOT BREATHE DUSTS
- IF INHALED: MOVE TO FRESH AIR AND KEEP COMFORTABLE. SEEK MEDICAL ATTENTION IF UNWELL
- USE ONLY OUTDOORS OR IN WELL-VENTILATED AREA
- CALL POISON CONTROL OR SEEK MEDICAL ATTENTION IF YOU FEEL UNWELL
- WASH THOROUGHLY AFTER HANDLING
- DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT
- IF SWALLOWED: RINSE MOUTH AND SEEK MEDICAL ATTENTION IF UNWELL
- IF IN EYES OR ON SKIN: RINSE AREA WITH PLENTY OF WATER, REMOVE CONTACT LENSES
- IF EYE OR SKIN IRRITATION CONTINUES: SEEK MEDICAL ATTENTION

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

<u>CHEMICAL IDENTITY</u>	<u>SYNONYM</u>	<u>CAS NUMBER</u>	<u>CONCENTRATION (%)</u>
Ureas	Mixed ureas	57-13-6	30-40
Ammonium Dihydrogen Phosphate	MAP	7722-76-1	00-10
Potassium Chloride	White potash	7447-40-7	10-20
Limestone	Calcite	1317-65-3	40-50
Iron Sulfate	Ferrous sulfate	7720-78-7	00-10
Montmorillonite Clay	Clay	1318-93-0	00-10

SECTION 4: FIRST AID MEASURES

IF INHALED:	Move to fresh air and keep comfortable, seek medical attention if unwell.
IF ON SKIN:	Wash affected areas with soap and water. Seek medical attention if irritation persists. Wash contaminated clothing before re-use.
IF IN THE EYES:	Immediately flush with water for 15-20 minutes, remove contact lenses if present and easy to do – continue rinsing. Seek medical attention if irritation persists.
IF SWALLOWED:	Rinse mouth. DO NOT INDUCE VOMITING unless directed by a medical professional. Seek medical attention if unwell.
SPECIAL TREATMENT:	None known
HEALTH HAZARDS:	See Section 11

SECTION 5: FIREFIGHTING MEASURES

EXTINGUISHING MEDIA:	Use media suitable for surrounding fire. No special media required.
SPECIFIC FIRE HAZARDS:	When heated to decomposition, this product will emit toxic oxides, chlorides, sulfides, and ammonia.
SPECIAL FIREFIGHTING PROCEDURES:	Wear full protective clothing and positive-pressure self-contained breathing apparatus (SCBA).

SECTION 6: ACCIDENTAL RELEASE MEASURES

SPILL / RELEASE PROCEDURES:	Contain material and place in containers for use as intended, or discard according to Federal, State and Local regulations.
ENVIRONMENTAL PRECAUTIONS:	Prevent spilled material from entering storm drains or water bodies. If material enters a waterway, notify the appropriate authorities.
PROTECTIVE EQUIPMENT:	Wear PPE according to Section 8

SECTION 7: HANDLING AND STORAGE

Avoid creating or accumulating dust during processing and application. Wash hands after handling material. Do not eat, drink or smoke while handling the material. Do not breathe dust. Not intended for human consumption. Do not store with food or feedstuffs. Store in a cool, dry, well-ventilated area away from incompatible materials.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS:

The following constituents are the only constituents of the product, which have a PEL, TLV or other recommended exposure limit. Currently, the other constituents have no known exposure limits.

<u>HAZARDOUS COMPONENT</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Ferrous Sulfate		1 mg/m ³ (TWA) 1 mg/m ³ (TWA) (NIOSH)
Potassium Chloride	15 mg/m ³ (total) 5 mg/m ³ (respirable)	10 mg/m ³ (inhalable) 3 mg/m ³ (respirable)
Limestone	15 mg/m ³ (total) 5 mg/m ³ (respirable)	10 mg/m ³ (inhalable) 3 mg/m ³ (respirable)

PERSONAL PROTECTIVE EQUIPMENT / PROTECTION MEASURES / CONTROLS:

RESPIRATORY PROTECTION:	NIOSH approved respirator, if required
EYE PROTECTION:	Safety glasses with sideshields, goggles, or faceshield
SKIN PROTECTION:	Appropriate for the task. Impervious and compatible with material
VENTILATION:	Use with adequate ventilation

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:	Granular
pH:	Not applicable
MELTING POINT:	Not applicable
BOILING POINT:	Not available
FLASH POINT:	Not flammable
EVAPORATION RATE:	Not available
FLAMMABLE LIMITS:	Not applicable
VAPOR PRESSURE:	Not available
VAPOR DENSITY:	Not available
SPECIFIC GRAVITY:	Not available
SOLUBILITY (IN WATER):	Soluble
PARTITION COEFFICIENT:	Not available
AUTOIGNITION TEMP:	Not available
DECOMPOSITION TEMP:	Not available
ODOR THRESHOLD:	Not available
VISCOSITY:	Not available

SECTION 10: STABILITY AND REACTIVITY

STABILITY:	Product is stable.
CONDITIONS TO AVOID:	Heat, accumulation of dust

THE ANDERSONS PROFESSIONAL TURF PRODUCTS 16-4-8

INCOMPATIBILITY: Strong acids, bases, oxidizers, soft metals and alloys

HAZARDOUS DECOMPOSITION PRODUCTS: Toxic oxides, chlorides, sulfides, and ammonia.

SECTION 11: TOXICOLOGICAL INFORMATION

HEALTH EFFECTS: Causes skin, serious eye, and respiratory irritation.

CARCINOGENICITY: None of the ingredients are known / listed carcinogens. However, the product may contain trace amounts of crystalline silica, which is listed by IARC as a potential human carcinogen.

INGREDIENT TOXICITY RANGES:

ORAL: > 319 mg/kg (ferrous sulfate) – 14,300 mg/kg (urea)

DERMAL: > 155 mg/kg (ferrous sulfate)

SECTION 12: ECOLOGICAL INFORMATION

Long-term degradation products may arise. Products of degradation are not expected to be hazardous. Excessive nutrients in waterways may cause algal blooms that may be detrimental to aquatic life.

SECTION 13: DISPOSAL CONSIDERATIONS

Use product for intended purpose where possible. Dispose of in accordance with all national, regional / state, and local regulations.

SECTION 14: TRANSPORT INFORMATION

This product is not regulated as a transportation hazard.

SECTION 15: REGULATORY INFORMATION

US FEDERAL REGULATIONS

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 304: This material does not contain any components with a section 304 EHS RQ.

SARA 311 / 312: Refer to Section 2.

SARA 313: The following components are subject to reporting levels established by SARA Title III, Section 313:

CHEMICAL NAME	CAS No.	% BY WEIGHT
No requirements		

CERCLA (RQ):	CHEMICAL NAME	CAS No.	REPORTABLE QTY (lbs)
	No requirements		

TSCA			
Chemical Name	CAS No.	US TSCA Inventory Listing	US TSCA Inactive / Active Designation
Urea	57-13-6	Present	Active
Limestone	1317-65-3	Present	Active
Iron Sulfate	7720-78-7	Present	Active
Montmorillonite Clay	1318-93-0	Exempt	Active
Potassium Chloride	7447-40-7	Present	Active
Ammonium Dihydrogen Phosphate	7722-76-1	Present	Active

US STATE REGULATIONS

RIGHT-TO-KNOW:	CHEMICAL NAME	CAS No.	States
	No requirements		

CALIFORNIA PROP 65: No requirements

SECTION 16: OTHER INFORMATION

NFPA RATINGS:	HEALTH	1
	FLAMMABILITY	0
	INSTABILITY	0

HMIS RATINGS:	HEALTH	1
	FLAMMABILITY	0
	INSTABILITY	0

PREPARATION & VERSION INFORMATION

Version 001 – SDS originally created 02/18/2026 Prepared By DBA EHS Consulting

The information and data contained herein is based upon facts considered to be correct as of the date hereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will The Andersons be responsible for damages of any nature whatsoever resulting from the use or reliance upon this information. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to information or the product to which this information refers.