

CastAwayTM DG

1-0-0

- Fertilizer and soil amendment
- Nutrients derived from tea seed meal after camellia oil extraction
- Patented dispersing granule (DG) technology

Guaranteed Analysis

Total Nitrogen (N)..... 1.00%
 1.00% Water Insoluble Nitrogen

Derived from tea seed meal.

F002091

Product Information

Castaway is a homogenous dispersing granule (DG) tea seed meal fertilizer made from the residue of camellia seeds after oil extraction. It can be used in many turfgrass situations and across all turfgrass species.

Directions for Use

Provides a nitrogen source. Apply to dry turfgrass at 1.46 to 2.93 kg product per 100 sq. meters. Water in with approximately 0.635 cm of water within 12-24 hours after application to avoid mower pick-up. Irrigation or rainfall will disperse each granule into thousands of smaller particles, moving the product into the soil for improved product efficacy and decreased mower pick-up. Reapply every 4-5 weeks (LOW rate) or 6-8 weeks (HIGH rate). For use on all cool- and warm-season turfgrasses.

Apply only to actively growing turf. Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn and sweep any product that lands on the driveway, sidewalk or street, back onto your lawn. Check with your local Cooperative Extension Agency to obtain specific information on local turf best management practices. Check with your county or city government to determine if there are local regulations for fertilizer use.



WARNING
 May cause mild eye irritation
 May cause respiratory irritation

PRECAUTIONARY STATEMENTS

- Wear protective gloves and clothing
- Remove contaminated clothing and wash before reuse
- Avoid breathing dusts
- Use only outdoors or in well ventilated area
- Call poison control or seek medical attention if you feel unwell
- Wash thoroughly after handling
- Do not eat, drink or smoke when using this product

FIRST AID AND MEASURES

- IF INHALED: Move to fresh air and keep comfortable, seek medical attention if unwell.
- IF ON SKIN: Wash affected areas with soap and water. Seek medical attention if irritation persists. Wash contaminated clothing before re-use.
- IF IN THE EYES: Immediately flush with water for 15-20 minutes, remove contact lenses if present and easy to do - continue rinsing. Seek medical attention if irritation persists.
- IF SWALLOWED: Rinse mouth. DO NOT INDUCE VOMITING unless directed by a medical professional. Seek medical attention if unwell.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

Product of U.S.A.

Manufactured by:
 The Andersons, Inc.
 P. O. Box 119, Maumee, OH 43537
www.andersonsplantnutrient.com

Castaway is a trademark of The Andersons, Inc.

Suggested Spreader Settings				
The suggested spreader settings are not intended to replace calibration. Please calibrate your spreader before applying product.				
SPREADER	GROUND SPEED	WIDTH OF COVERAGE	1.46 kg/100 m ² (3.0 lbs/1,000 sq. ft.)	2.93 kg/100 m ² (6.0 lbs/1,000 sq. ft.)
Andersons Model 2000 / AccuPro 2000 (cone 8); Andersons 2000 SR / SR-2000 (cone 8); Andersons LCO-1000	4.8 km/hr (3 mph)	2.7 m (9 feet)	1 1/2	M
Andersons SSD / SS-2 Drop	4.8 km/hr (3 mph)	overlap wheels	5 3/4	7
Scotts R-8, R-8A (cone 6)	4.8 km/hr (3 mph)	2.7 m (9 feet)	1	L
Lesco 020093 (pattern 0.0)	4.8 km/hr (3 mph)	1.8 m (6 feet)	D	F
Lesco 705698 (pattern 0.0)	4.8 km/hr (3 mph)	1.8 m (6 feet)	10	14
Lely Models WTR, WFR, HR, 1250 (PTO at 450 rpm) Pattern III-A	7.2 km/hr (4.5 mph)	9.1 m (30 feet)	4 1/2	6
Vicon (03 Series)	7.2 km/hr (4.5 mph)	4.9 m (16 feet)	13	20

SGN 100
Net Weight 40 lbs (18.14 kg)



10008847