



## ANDERSONS GOLF PRODUCTS 14-0-14 FERTILIZER WITH DIMENSION® TURF HERBICIDE

### SAFETY DATA SHEET

CURRENT AS OF: 12/12/24

#### SECTION 1: PRODUCT / SUPPLIER IDENTIFICATION

PRODUCT CODE: 10004928, 10004930, 10010040, 10010042

PRODUCT NAME: ANDERSONS GOLF PRODUCTS 14-0-14 FERTILIZER WITH DIMENSION® TURF HERBICIDE

PRODUCT USE: Fertilizer / Pesticide

MFR INFO: The Andersons, Inc.  
PO Box 119  
Maumee, OH 43537

FOR EMERGENCY: (800) 757-8951

FOR INFORMATION: (419) 893-5050

#### SECTION 2: HAZARDS IDENTIFICATION

##### HAZARD SYMBOLS / STATEMENTS:



##### WARNING

**MAY BE HARMFUL IF SWALLOWED  
MAY CAUSE MILD SKIN IRRITATION  
MAY CAUSE EYE IRRITATION  
MAY CAUSE RESPIRATORY IRRITATION**

##### HAZARD CLASSIFICATIONS:

*ACUTE TOXICITY*

*SKIN IRRITATION*

*EYE IRRITATION*

*TARGET ORGAN SYSTEMIC TOXICITY*

##### CATEGORY

5

3

2B

3

##### INTERPRETATION

Low

Mild Skin Irritation Possible

Promptly Reversible Eye Irritation Possible

Transient Respiratory Irritation Possible

##### PRECAUTIONARY STATEMENTS:

- *KEEP OUT OF REACH OF CHILDREN*
- *READ LABEL BEFORE USE*
- *IF MEDICAL ADVICE IS NEEDED, HAVE PRODUCT CONTAINER OR LABEL ON HAND*
- *CALL A POISON CENTER / PHYSICIAN IF UNWELL*
- *IF ON SKIN, WASH WITH PLENTY OF SOAP AND WATER*
- *IF SKIN IRRITATION OCCURS, GET MEDICAL ADVICE*
- *IF IN EYES, RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES – REMOVE CONTACT LENSES*
- *IF EYE IRRITATION PERSISTS, GET MEDICAL ADVICE*
- *WASH HANDS AFTER HANDLING*
- *USE ONLY OUTDOORS OR IN WELL VENTILATED AREAS*
- *AVOID BREATHING DUST*
- *IF INHALED, REMOVE TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING*

**ANDERSONS GOLF PRODUCTS 14-0-14 FERTILIZER WITH DIMENSION® TURF HERBICIDE**

- *STORE CONTAINER TIGHTLY CLOSED*
- *DISPOSE OF CONTENTS / CONTAINER IN ACCORDANCE WITH NATIONAL / REGIONAL / LOCAL REGULATIONS*

**SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

<u>CHEMICAL IDENTITY</u>	<u>SYNONYM</u>	<u>CAS NUMBER</u>	<u>CONCENTRATION (%)</u>
Limestone	Dolomite	16389-88-1	35-40
Sulfur coated urea		Not listed	20-25
Potassium chloride	Potash	7447-40-7	20-25
Urea		57-13-6	15-20

**SECTION 4: FIRST AID MEASURES**

IF INHALED:	Move victim to fresh air. Seek medical attention if irritation persists.
IF ON SKIN:	Wash affected areas with soap and water. Seek medical attention if irritation persists. Wash contaminated clothing before re-use.
IF IN THE EYES:	Immediately flush with water for at least 20 minutes. Seek medical attention if irritation persists.
IF SWALLOWED:	If victim is alert and not convulsing, give one glass of water to dilute material, but DO NOT induce vomiting. Seek immediate medical attention.
SPECIAL TREATMENT:	None known
HEALTH HAZARDS:	See Section 11

**SECTION 5: FIREFIGHTING MEASURES**

EXTINGUISHING MEDIA:	Use media suitable for surrounding fire. No special media required.
SPECIFIC FIRE HAZARDS:	Decomposition products may be toxic. Sulfur will burn when separated from molten urea.
SPECIAL FIREFIGHTING PROCEDURES:	Wear full protective clothing and positive-pressure self-contained breathing apparatus.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

SPILL / RELEASE PROCEDURES:	Collect spilled product and store to re-use. Contaminated product and/or environmental media should be recovered and disposed of properly.
ENVIRONMENTAL PRECAUTIONS:	Prevent spilled material from entering storm drains or water bodies.
PROTECTIVE EQUIPMENT:	See Section 8

**SECTION 7: HANDLING AND STORAGE**

Store in a cool, dry, well ventilated area. Do not store above 120° F.

**ANDERSONS GOLF PRODUCTS 14-0-14 FERTILIZER WITH DIMENSION® TURF HERBICIDE****SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**EXPOSURE LIMITS:

<u>HAZARDOUS COMPONENT</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Limestone	15 mg/m <sup>3</sup> (total) 5 mg/m <sup>3</sup> (respirable)	10 mg/m <sup>3</sup> (inhalable) 3 mg/m <sup>3</sup> (respirable)
Sulfur coated urea	15 mg/m <sup>3</sup> (total) 5 mg/m <sup>3</sup> (respirable)	10 mg/m <sup>3</sup> (inhalable) 3 mg/m <sup>3</sup> (respirable)
Potassium chloride	15 mg/m <sup>3</sup> (total) 5 mg/m <sup>3</sup> (respirable)	10 mg/m <sup>3</sup> (inhalable) 3 mg/m <sup>3</sup> (respirable)
Urea	15 mg/m <sup>3</sup> (total) 5 mg/m <sup>3</sup> (respirable)	10 mg/m <sup>3</sup> (inhalable) 3 mg/m <sup>3</sup> (respirable)

PERSONAL PROTECTIVE EQUIPMENT / PROTECTION MEASURES / CONTROLS:

RESPIRATORY PROTECTION:	NIOSH approved particulate respirator, if required
EYE PROTECTION:	Safety glasses with sideshields, goggles, or faceshield recommended
SKIN PROTECTION:	Long sleeves, chemical-resistant (rubber) gloves recommended
VENTILATION:	Local exhaust ventilation recommended

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE AND ODOR:	Multi-colored granular mix, with slight ammonia / sulfur odor
pH:	Not available
MELTING POINT:	Not available
BOILING POINT:	Not applicable
FLASH POINT:	Not flammable
EVAPORATION RATE:	Not applicable
FLAMMABLE LIMITS:	Not applicable
VAPOR PRESSURE:	Not applicable
VAPOR DENSITY:	Not applicable
SPECIFIC GRAVITY:	Not available
SOLUBILITY (IN WATER):	Partially soluble
PARTITION COEFFICIENT:	Not applicable
AUTOIGNITION TEMP:	Not available
DECOMPOSITION TEMP:	Not available

**SECTION 10: STABILITY AND REACTIVITY**

STABILITY:	Product is stable.
CONDITIONS TO AVOID:	Excessive heat (greater than 200°F)
INCOMPATIBILITY:	Strong oxidizers, acids, hypochlorites, caustics
HAZARDOUS DECOMPOSITION PRODUCTS:	HCN, NO <sub>x</sub> , CO <sub>x</sub> , NH <sub>3</sub> , cyanuric acid, SO <sub>x</sub> , H <sub>2</sub> S

**ANDERSONS GOLF PRODUCTS 14-0-14 FERTILIZER WITH DIMENSION® TURF HERBICIDE****SECTION 11: TOXICOLOGICAL INFORMATION**

**HEALTH EFFECTS:** May be irritating to the nose and respiratory tract, and may cause sore throat, coughing and shortness of breath. Skin irritation may result from repeated or prolonged exposure. May also be irritating to the eyes, causing redness and watering. Prolonged eye exposure may cause conjunctivitis and corneal damage. Ingestion may result in abdominal pain, nausea, and diarrhea. Prolonged or repeated overexposure to the active ingredient could cause kidney, liver, blood, thyroid, and adrenal effects. Ingestion of large amounts of sulfur may lead to hydrogen sulfide poisoning due to bacterial conversion of sulfur in the colon.

**CARCINOGENICITY:** None of the ingredients are known / listed carcinogens. However, product may contain trace amounts of crystalline silica, which is listed by IARC as a potential human carcinogen.

**INGREDIENT TOXICITY RANGES:**

ORAL: 2,600 mg/kg (potassium chloride) – 14,300 mg/kg (urea)

DERMAL: > 5,000 mg/kg (dithiopyr)

INHALATION: > 5.8 mg/L (4 hr) (dithiopyr)

**SECTION 12: ECOLOGICAL INFORMATION**

This product is not known to be ecotoxic, persistent, or have the potential to bioaccumulate.

**SECTION 13: DISPOSAL CONSIDERATIONS**

Dispose of in accordance with all national, regional / state, and local regulations. Reuse recovered product where possible.

**SECTION 14: TRANSPORT INFORMATION**

This product is not regulated as a transportation hazard.

**SECTION 15: REGULATORY INFORMATION**

SARA SECTION 311 / 312 HAZARD CATEGORY: IMMEDIATE HAZARD

**SECTION 16: OTHER INFORMATION**

NFPA RATINGS: HEALTH 1  
FLAMMABILITY 0  
INSTABILITY 0

HMIS RATINGS: HEALTH 1  
FLAMMABILITY 0  
PHYSICAL HAZARD 0

ACTIVE INGREDIENT LEVEL (%): 0.164 as dithiopyr

**PREPARATION & VERSION INFORMATION**

Version 001 – SDS updated using new template 12/12/2024 Prepared By SS

The information and data contained herein is based upon facts considered to be correct as of the date hereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will The Andersons be responsible for damages of any nature whatsoever resulting from the use or reliance upon this information. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to information or the product to which this information refers.