



ANDERSONS GOLF PRODUCTS TURF FERTILIZER 22-0-16 WITH DIMENSION® TURF HERBICIDE & RONSTAR®

SAFETY DATA SHEET

CURRENT AS OF: 5/13/25

SECTION 1: PRODUCT / SUPPLIER IDENTIFICATION

PRODUCT CODE: 10005110, 10005109, 10008095, 10009771, 10010610

PRODUCT NAME: ANDERSONS GOLF PRODUCTS TURF FERTILIZER 22-0-16 WITH DIMENSION®
TURF HERBICIDE & RONSTAR®

PRODUCT USE: Fertilizer / Pesticide

MFR INFO: The Andersons, Inc.
PO Box 119
Maumee, OH 43537

FOR EMERGENCY: (800) 757-8951

FOR INFORMATION: (419) 893-5050

SECTION 2: HAZARDS IDENTIFICATION

HAZARD SYMBOLS / STATEMENTS:



WARNING SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN CHILD.
CAUSES DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED
EXPOSURE.
MAY CAUSE SKIN AND EYE IRRITATION

HAZARD CLASSIFICATIONS:

TOXIC TO REPRODUCTION
SPECIFIC TARGET ORGAN TOXICITY
- **REPEATED EXPOSURE**
EYE IRRITATION
SKIN IRRITATION

CATEGORY

2
2
2B
2

INTERPRETATION

Suspected of damaging fertility or the unborn child
May cause damage to the blood and liver
through prolonged or repeated exposure
Causes eye irritation
Causes skin irritation

PRECAUTIONARY STATEMENTS:

- **OBTAIN SPECIAL INSTRUCTIONS BEFORE USE**
- **DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD**
- **IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/ATTENTION**
- **STORE LOCKED UP**
- **WEAR PROTECTIVE GLOVES AND CLOTHING**
- **REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE**
- **DO NOT BREATHE DUSTS**
- **SEEK MEDICAL ATTENTION IF YOU FEEL UNWELL**
- **WASH THOROUGHLY AFTER HANDLING**
- **IF SWALLOWED AND UNWELL: SEEK MEDICAL ATTENTION**

ANDERSONS GOLF PRODUCTS TURF FERTILIZER 22-0-16 WITH DIMENSION® TURF HERBICIDE & RONSTAR®

- *IF IN EYES OR ON SKIN: RINSE AREA WITH PLENTY OF WATER, REMOVE CONTACT LENSES*
- *IF EYE OR SKIN IRRITATION CONTINUES: SEEK MEDICAL ATTENTION*

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

<u>CHEMICAL IDENTITY</u>	<u>SYNONYM</u>	<u>CAS NUMBER</u>	<u>CONCENTRATION (%)</u>
Ureas		57-13-6	50-55
Potassium Sulfate	Sulfate of potash	7778-80-5	30-35
Limestone	Dolomite	16389-88-1	10-15
Oxadiazon	Ronstar	19666-30-9	0.1-1

SECTION 4: FIRST AID MEASURES

IF INHALED:	Move to fresh air and keep comfortable and seek medical attention.
IF ON SKIN:	Wash affected areas with soap and water while removing and isolating all contaminated clothing. Seek medical attention if irritation persists. Wash contaminated clothing before re-use.
IF IN THE EYES:	Immediately flush with water for 15-20 minutes and seek medical attention.
IF SWALLOWED:	Rinse mouth. DO NOT INDUCE VOMITTING unless directed by a medical professional. Call POISON CONTROL and seek medical attention.
SPECIAL TREATMENT:	None known
HEALTH HAZARDS:	See Section 11

SECTION 5: FIREFIGHTING MEASURES

EXTINGUISHING MEDIA:	Use media suitable for surrounding fire. No special media required.
SPECIFIC FIRE HAZARDS:	When heated to decomposition, this product will emit toxic oxides, hydrogen sulfide and ammonia.
SPECIAL FIREFIGHTING PROCEDURES:	Wear full protective clothing and positive-pressure self-contained breathing apparatus (SCBA).

SECTION 6: ACCIDENTAL RELEASE MEASURES

SPILL / RELEASE PROCEDURES:	Do not create dust. Contain material and place in containers for use as intended, or discard according to Federal, State and Local regulations.
ENVIRONMENTAL PRECAUTIONS:	Prevent spilled material from entering storm drains or water bodies. If material enters a waterway, notify the appropriate authorities.
PROTECTIVE EQUIPMENT:	Wear PPE according to Section 8

SECTION 7: HANDLING AND STORAGE

Wash hands after handling material. Do not eat, drink or smoke while handling the material. Do not get in eyes or on skin. Do not breathe dusts. Not intended for human consumption. Store in a cool, dry, well ventilated area away from incompatible materials.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

<u>HAZARDOUS COMPONENT</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Potassium sulfate	15 mg/m ³ (total) 5 mg/m ³ (respirable)	10 mg/m ³ (inhalable) 3 mg/m ³ (respirable)

PERSONAL PROTECTIVE EQUIPMENT / PROTECTION MEASURES / CONTROLS:

RESPIRATORY PROTECTION:	NIOSH approved respirator, if required
EYE PROTECTION:	Safety glasses with sideshields, goggles, or faceshield
SKIN PROTECTION:	Appropriate for the task. Impervious and compatible with material,
VENTILATION:	Use with adequate ventilation

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:	Multi-colored granular mix, with slight odor
pH:	Not Applicable
MELTING POINT:	Not applicable
BOILING POINT:	Not available
FLASH POINT:	Not flammable
EVAPORATION RATE:	Not available
FLAMMABLE LIMITS:	Not applicable
VAPOR PRESSURE:	Not available
VAPOR DENSITY:	Not available
SPECIFIC GRAVITY:	~0.962
SOLUBILITY (IN WATER):	Soluble
PARTITION COEFFICIENT:	Not available
AUTOIGNITION TEMP:	Not available
DECOMPOSITION TEMP:	Not available
ODOR THRESHOLD:	Not available
VISCOSITY:	Not available

SECTION 10: STABILITY AND REACTIVITY

STABILITY:	Product is stable.
CONDITIONS TO AVOID:	Heat, incompatible materials
INCOMPATIBILITY:	Strong acids, bases and oxidizers

HAZARDOUS DECOMPOSITION PRODUCTS: Toxic oxides, hydrogen sulfide and ammonia

SECTION 11: TOXICOLOGICAL INFORMATION

HEALTH EFFECTS: Suspected of damaging fertility or the unborn child. Prolonged or repeated overexposure to dithiopyr may result in kidney, liver, and blood effects, and thyroid damage. Repeated inhalation of excessive concentrations of oxadiazon may lead to a benign lung condition known as siderosis. May be irritating to the nose and respiratory tract. Skin irritation may result from repeated or prolonged exposure. May also be irritating to the eyes.

CARCINOGENICITY: Oxadiazon is classified as "Possible human carcinogen" (Group C). In addition, the product may contain trace amounts of crystalline silica, which is listed by IARC as a potential human carcinogen.

INGREDIENT TOXICITY RANGES:

ORAL: 2,600 mg/kg (potassium sulfate) – 14,300 mg/kg (urea)

DERMAL: > 2,000 mg/kg (oxadiazon)

INHALATION: 1.8 mg/L (4 hr) (oxadiazon)

SECTION 12: ECOLOGICAL INFORMATION

Very toxic to aquatic life with long lasting effects. Long term degradation products may arise. Products of degradation are not expected to be hazardous.

SECTION 13: DISPOSAL CONSIDERATIONS

Use product for intended purpose where possible. Do not generate dusts. Dispose of in accordance with all national, regional / state, and local regulations.

SECTION 14: TRANSPORT INFORMATION

This product is not regulated as a transportation hazard.

SECTION 15: REGULATORY INFORMATION

SARA 311/312: Acute (diammonium hydrogen phosphate)

SARA 313: Oxadiazon

RIGHT-TO-KNOW: Oxadiazon (NJ)

CA PROP-65: WARNING: This product contains a chemical known to the State of California to cause cancer or reproductive harm (Oxadiazon)

SECTION 16: OTHER INFORMATION

NFPA RATINGS: HEALTH 2
 FLAMMABILITY 0
 INSTABILITY 0

HMIS RATINGS: HEALTH 2
 FLAMMABILITY 0
 INSTABILITY 0

ACTIVE INGREDIENT LEVEL (%): 0.125 as dithiopyr
 1.0 as oxadiazon

PREPARATION & VERSION INFORMATION

Version 001 – SDS originally created 08/26/2024 Prepared By DBA EHS Consulting
Version 002 – added new material code to SDS 05/13/25

The information and data contained herein is based upon facts considered to be correct as of the date hereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will The Andersons be responsible for damages of any nature whatsoever resulting from the use or reliance upon this information. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to information or the product to which this information refers.