



PREMIUM CRABGRASS PREVENTER PLUS LAWN FOOD

A herbicide plus fertilizer combination product that provides control of crabgrass and other weeds in established lawns and ornamental turfgrasses.

26-0-6

FOR THICK, GREEN, BEAUTIFUL, LAWNS

- 1
- 2
- 3
- 4

**Controls Crabgrass
All Season Long**

**Extended Greening from
Controlled-Release Nitrogen**



ACTIVE INGREDIENTS:
*Dithiopyr, 3,5-pyridinedicarboic acid, 2-(difluoromethyl)-4-(2-methylpropyl)-6-(trifluoromethyl)-S,S-dimethyl ester 0.103%
INERT INGREDIENTS 99.897%
TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE BACK PANEL FOR FIRST AID AND ADDITIONAL
PRECAUTIONARY STATEMENTS

EPA Reg. No. 9198-120
EPA Est. No. 9198-OH-1M, 9198-AL-001A
(Underlined letter used is first letter on run code on end of bag.)

NET WT. 17 LBS. (7.71 KG) • COVERS 6,000 SQ. FT.



PREMIUM CRABGRASS PREVENTER PLUS LAWN FOOD

1

PREMIUM CRABGRASS PREVENTER PLUS LAWN FOOD 26-0-6

2

PREMIUM WEED & FEED 24-0-16

3

PREMIUM LAWN FOOD 28-0-12

4

PREMIUM FALL LAWN FOOD 24-0-14

GUARANTEED ANALYSIS

Total Nitrogen (N)26.00%

26.00% Urea Nitrogen*

Soluble Potash (K₂O).....6.00%

Derived from urea, potassium chloride, and polymer coated sulfur coated urea.

*3.90% Slowly Available Nitrogen from Polymer Coated Sulfur Coated Urea

F002091

Information regarding the contents and levels of metals in this product is available on the internet at <https://aapfco.org/metals.htm>

Nitrogen Notice: For those states with nitrogen application restrictions, including but not limited to MD, NH, NJ, PA and VA, do not apply more than 0.7 lbs. of nitrogen per 1000 sq. ft.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
KEEP OUT OF REACH OF CHILDREN
CAUTION

Causes eye irritation. Harmful if inhaled. Avoid contact with eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact while handling this material may cause allergic reaction in some individuals.

FIRST AID	
If in eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contacts, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
If inhaled:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.
If swallowed:	Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on skin or clothing:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and highly toxic to other aquatic organisms including oysters and shrimp. Use with care when applying to turf areas adjacent to any body of water. Drift and runoff from treated turf may adversely affect aquatic organisms in adjacent aquatic sites. Do not apply when weather conditions favor drift from treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

NON-TARGET ORGANISM ADVISORY: This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift. For further guidance and instructions on how to minimize spray drift, refer to the Spray Drift Management section of this label.

This chemical has properties and characteristics associated with chemicals detected in groundwater. This chemical may leach into groundwater if used in areas where soils are permeable, particularly where the water table is shallow.

This product may impact surface water quality due to runoff of rainwater. This is especially true for poorly draining soils and soils with shallow ground. This product is classified as having a high potential for reaching surface water via runoff for several weeks after application.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

New York Use Restrictions: Do not apply more than 5.6 pounds of this product per 1,000 square feet of turfgrass area per year. Do not make more than one application per year.

Use only according to label instructions.

GENERAL INFORMATION

This product is a combination product that provides both crabgrass control and the required nutrients for optimum turfgrass growth all in a single product.

This product contains Dimension®, a crabgrass preventer that can be applied up to 4 weeks later than other crabgrass preventers and provides up to 4 months control of crabgrass and other grass and broadleaf weeds prior to their establishment in lawns and ornamental turfgrasses. This product should be applied to lawns and ornamental turfgrasses that are well established (See "Use Precautions" section below for a list of the tolerant turfgrasses). This product will not harm nearby established ornamentals when used according to label directions.

USE PRECAUTIONS

This product should only be applied to lawns and ornamental turfgrasses that are well established. Use of this product on lawns and ornamental turfgrasses that are not well established, or have been weakened by stress due to mechanical operations, pests, excessive temperatures, or lack of moisture may increase the chances for turfgrass injury.

This product can be applied to the following turfgrasses when applied as directed:

Cool-Season Turfgrasses	Warm-Season Turfgrasses
Creeping Bentgrass	Kentucky Bluegrass
Fine Fescues	Perennial Ryegrass
	Tall Fescues
	Bahia grass
	Bermudagrass
	Buffalograss
	St. Augustinegrass
	Zoysiagrass

This product should be applied in the spring or fall prior to the weed seed germination in established lawns and ornamental turfgrasses.

This product can be applied up to 4 weeks later than other crabgrass preventers and still provide season-long weed control of crabgrass. Dimension herbicide provides preemergence control of crabgrass and other weeds when applied prior to their germination, and it also provides postemergence control of crabgrass. The postemergence control provided by this product is limited to crabgrass only and will provide control of crabgrass when applied up to 4 weeks after crabgrass germination. Application of this product later than 4 weeks after crabgrass germination will result in reduced control of crabgrass.

For control of other grass and broadleaf weeds, this product must be applied as a preemergent treatment. Only crabgrass can be controlled with delayed applications after germination.

Tips for Improved Weed Control: Apply this product within a few days after mowing and delay further mowings after the application of this product until the lawn or ornamental turfgrass has been watered or received significant rainfall to dissolve the fertilizer granules. Improved weed control may be observed when treated lawn or ornamental turfgrass is watered or receives rainfall within a few days after application of this product.

Reseeding, Overseeding or Sprigging of turfgrasses into areas that have been previously treated with this product should be delayed until 16 weeks after application. Reseeding, overseeding, or sprigging up to 16 weeks after application may prevent the establishment of newly reseeded, overseeded or sprigged turfgrasses.

- DO NOT apply more than 11 pounds of this product per 1,000 square feet of turfgrass area during the year (1,000 square feet area = 100 feet x 10 feet).
- DO NOT apply more than 1.5 lb ai/A of diithiopyr per year. Maximum single application rate at 0.5 lb a.i./A.
- DO NOT apply to flowers, vegetables, or fruit trees.
- DO NOT use clippings from treated turf for mulching around flowers, vegetables or fruit trees.
- Keep people and pets off treated areas until dust has settled.

APPLICATION DIRECTIONS

The Andersons Premium Crabgrass Preventer Plus Lawn Food will provide control of crabgrass and other grasses and broadleaf weeds listed below when applied prior to weed seed germination in established lawns and ornamental turfgrasses.

Weeds Controlled and/or Suppressed by The Andersons Crabgrass Preventer Plus Lawn Food

Grass Weeds:	Broadleaf Weeds:
Annual Bluegrass	Goosegrass
Annual Ryegrass	Green Foxtail
Barnyardgrass	Kikuyugrass (seedling)
Crabgrass	Perennial Ryegrass
Crowfootgrass	Smutgrass (seedling)
	Yellow Foxtail
	Common Lespedeza
	Common Purslane
	Corn Speedwell
	Creeping Oxalis
	Henbit
	Parsley-piert
	Pineappleweed
	Spotted Spurge
	Yellow Woodsorrel

Application Timings:

This product may be applied either in the spring or in the fall for the control of weeds.

When this product is applied in the fall, a sequential or second application should be made the following spring to provide season-long control of weeds.

Length of Control:

This product will provide up to 4 months of weed control if applied according to label directions.

The actual length of control will vary depending on use rate, weather conditions, condition of the turfgrass, intensity of weed pressure, and the location or "Region" within the United States that this product is being applied.

Please check the map to the right to determine which "Region" of the U.S. that applies to your particular use area.

Use "Regions" within the United States:

□ North ■ South



Region of U.S.	RECOMMENDED USE RATES FOR THIS PRODUCT (Pounds of this product to apply per 1,000 square feet of turfgrass)	
	Length of Weed Control	
	2-3 months control	3-4 months control
North	2.8	4.0
South	4.3	5.6

SUGGESTED SPREADER SETTINGS

SPREADER MODEL	Light Rate 2.8 lbs/1,000 sq. ft.	Low Rate 4.0 lbs/1,000 sq. ft.	Medium Rate 4.3 lbs/1,000 sq. ft.	High Rate 5.6 lbs/1,000 sq. ft.
The Andersons Pacer Pro	10	11	12	13
The Andersons LCO-1000	K 1/2	M	M 1/2	0
The Andersons Yard Star 2150	13 1/2	15	15 1/2	17
Agri-Fab Broadcast	4	5	5 1/4	6 1/2
Brinly 20 Series Push Broadcast	13 1/2	15	15 1/2	17
Chapin Broadcast	13 1/2	15	15 1/2	17
EarthWay Broadcast	13 1/2	15	15 1/2	17
Echo Broadcast	4 1/2	5 1/2	5 3/4	7
Lesco Broadcast	11	12 1/2	13	14
Scotts Broadcast*	4 1/2	5 1/2	5 3/4	7

*Includes EdgeGuard, Elite, Standard, Basic, LawnPro & Speedy Green 1000 - 3000

IMPORTANT: It is important to follow the directions on this quality lawn care product as over-application may cause injury to the lawn. Measure the size of the area to be treated and do not over or under apply. Spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied and roughness of area treated. Calibrate spreader prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing uniformly. Close spreader when filling, stopping or turning. DO NOT HAND SPREAD.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

STORAGE: Keep container closed and away from food, feedstuffs and domestic water supplies.

DISPOSAL:

If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Manufactured by:
The Andersons, Inc.
 P. O. Box 119
 Maumee, OH 43537

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user of Buyer accepts the following Warranty Disclaimer and Limitation of Liability.

WARRANTY DISCLAIMER and LIMITATION OF LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY

OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE, CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THE LIMITED WARRANTY GIVES YOUR SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

© 2025 The Andersons, Inc. All rights reserved.

The Andersons logo is a registered trademark of The Andersons, Inc. Dimension is a registered trademark of Corteva Agriscience.

10007355
30001867
 J25

New
 The Andersons Premium Crab... up to 6,000 sq. ft. (17 lb)



B092JQVWV7