

CastAwayTM DG

1-0-0

- Fertilizer and soil amendment
- Nutrients derived from tea seed meal after camellia oil extraction
- Patented dispersing granule (DG) technology

Guaranteed Analysis		
Total Nitrogen (N).....	1.00%	
1.00% Water Insoluble Nitrogen		

Derived from tea seed meal.

Florida Applications:

We recommend that you follow the Florida Green Industries BMP's at:
<http://www.flrules.org/Gateway/reference.asp?No=Ref-04706>
We recommend that you follow the Florida Golf Course BMP's at:
<http://www.flrules.org/Gateway/reference.asp?No=Ref-04702>

Information regarding the contents and levels of metals in this product is available on the internet at <https://www.aapfco.org/metals.html>

Product Information

Castaway is a homogenous dispersing granule (DG) tea seed meal fertilizer made from the residue of camellia seeds after oil extraction. It can be used in many turfgrass situations and across all turfgrass species.

Directions for Use

Provides a nitrogen source. Apply to dry turfgrass at 3.0 to 6.0 lbs product per 1000 sq ft (lbs prod/M). Water in with approximately 0.10-0.20" of water within 12-24 hours after application to avoid mower pick-up. Irrigation or rainfall will disperse the product into the turf canopy and soil for improved product efficacy and decreased mower pick-up. Reapply every 2 weeks (LOW rate) or 3-4 weeks (HIGH rate). Reapplication interval can be highly variable, dependent on soil and weather conditions. For use on all cool- and warm-season turfgrasses.

Apply only to actively growing turf. Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn and sweep any product that lands on the driveway, sidewalk or street, back onto your lawn. Check with your local Cooperative Extension Agency to obtain specific information on local turf best management practices. Check with your county or city government to determine if there are local regulations for fertilizer use.



WARNING
May cause mild eye irritation
May cause respiratory irritation

PRECAUTIONARY STATEMENTS

- Wear protective gloves and clothing
- Remove contaminated clothing and wash before reuse
- Avoid breathing dusts
- Use only outdoors or in well ventilated area
- Call poison control or seek medical attention if you feel unwell
- Wash thoroughly after handling
- Do not eat, drink or smoke when using this product

FIRST AID AND MEASURES

IF INHALED:	Move to fresh air and keep comfortable, seek medical attention if unwell.
IF ON SKIN:	Wash affected areas with soap and water. Seek medical attention if irritation persists. Wash contaminated clothing before re-use.
IF IN THE EYES:	Immediately flush with water for 15-20 minutes, remove contact lenses if present and easy to do – continue rinsing. Seek medical attention if irritation persists.
IF SWALLOWED:	Rinse mouth. DO NOT INDUCE VOMITING unless directed by a medical professional. Seek medical attention if unwell.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

Product of U.S.A.

Manufactured by:
The Andersons, Inc.
P. O. Box 119, Maumee, OH 43537
www.andersonsplantnutrient.com

Castaway is a trademark of The Andersons, Inc. The Andersons logo is a registered trademark of The Andersons, Inc.

Suggested Spreader Settings				
These suggested spreader settings are not intended to replace calibration. Please calibrate your spreader before applying product.				
40 lbs. treats 13,300 sq. ft. (0.31 acre) at the 131 lbs. product/acre - LOW RATE				
40 lbs. treats 6,600 sq. ft. (0.15 acre) at the 261 lbs. product/acre - HIGH RATE				
SPREADER	GROUND SPEED	WIDTH OF COVERAGE	SPREADER SETTINGS	
			LOW RATE 3.0 lbs. prod/M	HIGH RATE 6.0 lbs. prod/M
Andersons Model 2000 / AccuPro 2000 (cone 8); Andersons 2000 SR / SR-2000 (cone 8); Andersons LCO-1000	3 mph	9 feet	J 1/2	M
Andersons SSD / SS-2 Drop	3 mph	overlap wheels	5 3/4	7
Scotts R-8, R-8A (cone 6)	3 mph	9 feet	I	L
Lesco 020093 (pattern 0.0)	3 mph	6 feet	D	F
Lesco 705698 (pattern 0.0)	3 mph	6 feet	10	14
Lely Models WTR, WFR, HR, 1250 (PTO at 450 rpm) Pattern III-A	4.5 mph	30 feet	4 1/2	6
Vicon (03 Series)	4.5 mph	16 feet	13	20

SGN 100
Net Weight 40 lbs (18.14 kg)



10007834
123